

- FOR SETTING OUT REFER TO ARCHITECT'S DRAWINGS.
  THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL OTHER ARCHITECTURAL AND ENGINEERING DRAWINGS AND ALL OTHER RELEVANT DRAWINGS AND SPECIFICATIONS.
- DO NOT SCALE THIS DRAWING. USE FIGURED DIMENSIONS ONLY. • NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF O'CONNOR SUTTON CRONIN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DOCUMENT WAS ORIGINALLY ISSUED.

## NOTE

- 1. PILES TO BE CFA TYPE BORED CAST IN-SITU. 2. ALL PILES TO BE SOCKETED A MINIMUM 1m INTO
- COMPETENT BEDRCOCK. 3. PILE SAFE WORKING LOAD OF 1500KkN PER PILE

## **BEAM LEGEND**


RC GROUND BEAM (UNLESS NOTED OTHERWISE)

## PILE LEGEND

PC1-PILECAP WITH 1NO. 600 DIAMETER PILE PC2-PILECAP WITH 2NO. 600 DIAMETER PILES PC3-PILCEAP WITH 3NO. 600 DIAMETER PILES PC4-PILECAP WITH 4NO. 600 DIAMETER PILES


## NOTE

NOTE-DETAILS SHOWN ARE INDICATIVE FOR PLANNING PURPOSES AND SUBJECT TO CONFIRMATION AT DETAILED DESIGN STAGE




TYPICAL FOUNDATION DETAIL-FOR PC1 & PC2 SCALE 1:50

Rev No.	Date	Revision Note	Drn by
P01	19/09/22	SUITABLE FOR REVIEW/COMMENTS	NAT
P02	27/09/22	SUITABLE FOR STAGE APPROVAL: PLANNING	MMcF



Head Office, 9 Prussia Street, Dublin 7. D07 KT57



TEL +353 (0)1 8682000 e: contactus@ocsc.ie

Dublin | London | Belfast | Galway | Cork | Birmingham Client: Dublin City Council
Project: Proposed Development at Emmet Road

Foundation Layout Community & Library Hub

Date: SEP'22 Scale: A/S @ A1 Drn by: NAT Chkd by: IC Aprvd by: PH